

Chain Reactions Approach to the Initial Stages of Crude Oil Oxidation

Pu W., Ushakova A., Zatsepin V.

Kazan Federal University, 420008, Kremlevskaya 18, Kazan, Russia

Abstract

© 2018 American Chemical Society. The paper focuses on the problem of the crude oil self-ignition in situ, which has not yet been solved in the general case and for a particular oilfield as well. To solve the problem of ignition, we approached from a theoretical point of view - applied the theory of chain reactions to the description of the initial stages of oxidation. The obtained dependences of heat release on time should be of a general nature for experiments in which self-ignition occurred (we called them high rate experiments) and for experiments in which fuel formation was observed (low rate experiments). We first demonstrated this relationship in the experiments we conducted by high pressure rate calorimeter (PDSC). And then we analyzed the various experiments from literature sources. The novel results of the presented approach show the probabilistic nature of the ignition and the presence of a group of processes that do not lead to ignition, in which the free radicals are not sufficiently active and the heat sink exceeds the heat release. Instead of the heat balance, a new ignition criterion - ϕ -factor for chain reaction, the difference in the rate of formation and death of free radicals - is derived. A positive value of ϕ -factor indicates the increase of energy in the system and the ignition by the chain mechanism, while a negative value indicates the attenuation of the reaction and the formation of oxidized compounds without ignition. The PDSC experiments with light crude oil oxidation were conducted under various heating rates in order to explore the ignition temperature-time dependence (the example of high rate experiments). The results show the same dependence of the process time on temperature predicted theoretically. The other types of high rate experiments (adiabatic experiments, combustion tube experiments) and low rate oxidation experiments from literature sources are also considered in terms of our approach. The comparison of different types of experiments with the obtained mathematical formulas gives a good agreement. The low rate oxidation dependences refer to the negative values of ϕ -factor, and high rate oxidation refers to positive ϕ -factor modes. Both types of experiments are in good consistency with the theoretically obtained dependence and show that the model of the chain reaction approach works well. Thus, the chain reaction approach to the ignition mechanism gives one a good consistency with experimental data and can be applied for the prediction of ignition time for air injection projects. The other result of our approach is the difference between heavy and light oil oxidation in low and high rate processes. In high rate processes, free radicals are active enough for igniting the oil, and light oils contain more free radicals of this type and are more reactive for ignition. Heavy oils have better affinity for fuel formation and oxygen addition reactions. So heavy oils can usually ignite at higher temperature than light oils.

<http://dx.doi.org/10.1021/acs.energyfuels.8b02696>

References

- [1] Gutierrez, D.; Kumar, V. K.; Thies, B. P.; Miller, R. J.; Taylor, A. R. Buffalo Field High-Pressure-Air-Injection Projects: Technical Performance and Operational Challenges. *Soc. Pet. Eng. J.* 2009, 12, 542-550, 10.2118/113254-PA
- [2] Turta, A. T.; Chattopadhyay, S. K.; Bhattacharya, R. N.; Condrachi, A.; Hanson, W. Current status of Commercial In Situ Combustion Projects. *JCPT* 2007, 10.2118/07-11-GE
- [3] Panait-Patica, A.; Serban, D.; Ilie, N.; Petrom, S. A. Suplacu de Barcau-A Case History of a Successful in-Situ Combustion, *SPE* 100346, 2006.
- [4] Sarathi, P. S. In-situ combustion handbook-principles and practices; BDM Petroleum Technologies, 1999.
- [5] Gutierrez, D.; Moore, R. G.; Mehta, S.A.; Ursenbach, M.G.; Skoreyko, F. The challenge of predicting field performance of air injection projects based on laboratory and numerical modeling. *JCPT* 2009, 48 (4), 23, 10.2118/09-04-23-DA
- [6] Gutierrez, D.; Moore, R.G.; Ursenbach, M.G.; Mehta, S.A. The ABCs of In-Situ-Combustion Simulations: From Laboratory Experiments to Field Scale. *J. Can. Pet. Technol.* 2012, 51, 256, 10.2118/148754-PA
- [7] Garon, A. M.; Wygal, R. J. A Laboratory Investigation of Fire-Water Flooding. *SPEJ, Soc. Pet. Eng. J.* 1974, 14, 537-544, 10.2118/4762-PA
- [8] Prasad, R.S.; Slater, J. A. High-Pressure Combustion Tube Tests. *SPE Enhanced Oil Recov. Symp.* 1986, 503-514, 10.2118/14919-MS
- [9] Adegbesan, K. O.; Donnelly, J. K.; Moore, R. G.; Bennion, D. W. Low Temperature Oxidation Kinetic Parameters for In-situ Combustion Numerical Simulation. *SPE Reservoir Eng.* 1987, 2, 573, 10.2118/12004-PA
- [10] Millour, J. P.; Moore, R. G.; Bennion, D. W.; Ursenbach, M. G.; Gie, D. N. An Expanded Compositional Model for Low Temperature Oxidation of Athabasca Bitumen. *J. Cnd. Pet. Technol.* 1987, 10.2118/87-03-02
- [11] Zhong, L. Feasibility Study of In-situ Combustion in Shallow, Thin and Multy-Layered Heavy Oil Reservoir. *Int. Therm. Oper. Heavy Oil Symp.* 2008, 10.2118/117638-MS
- [12] Hou, S.; Ren, S.-R.; Wang, W.; Niu, B. Feasibility Study of Air Injection for IOR in Low Permeability Oil Reservoirs of Xinjiang Oilfield China. *Int. Oil Gas Conf. Exhib. China* 2010, 10.2118/131087-MS
- [13] Zhang, X.; Liu, Q.; Che, H. Parameters Determination during In Situ Combustion of Liaohe Heavy. *Energy Fuels* 2013, 27, 3416-3426, 10.1021/ef400095b
- [14] Sibbald, L.; Moore, R. G.; Bennion, D. W.; Chmilar, B. J.; Ursenbach, M. G. In situ combustion experimental studies using a combustion tube system with stressed core capability. *PetSoc.* 1988, 39-60, 10.2118/88-39-60
- [15] Petit, H. Experimental Evaluation of in situ combustion in natural consolidated cores. *JCPT* 1990, 10.2118/90-06-05
- [16] Yuan, Ch.; Pu, W.; Jin, F.; Zhang, J.; Zhao, Q.; Li, D.; Li, Y.; Chen, Ya. Characterizing the Fuel Deposition Process of Crude Oil Oxidation in Air Injection. *Energy Fuels* 2015, 29, 7622-7629, 10.1021/acs.energyfuels.5b01493
- [17] Liu, P.; Pu, W.; Li, Y.; Tang, M.; Gu, F.; Wang, J.; Song, W. Low-temperature isothermal oxidation of crude oil. *Pet. Sci. Technol.* 2016, 34 (9), 838-844, 10.1080/10916466.2016.1170844
- [18] Pu, W.; Yuan, Ch.; Jin, F.; Wang, L.; Qian, Zh.; Li, Y.; Li, D.; Chen, Y. Low-temperature Oxidation and Characterization of Heavy Oil via Thermal Analysis. *Energy Fuels* 2015, 29, 1151-1159, 10.1021/ef502135e
- [19] Li, P.; Liu, Zh.; Feng, Ch.; Zhao, Y.; Li, M.; Wang, X. Experimental Study on the Safety of Exhaust Gas in the Air Injection Process for Light Oil Reservoirs. *Energy Fuels* 2016, 30, 4504-4508, 10.1021/acs.energyfuels.6b00133
- [20] Yang, J.; Pu, W.; Jia, H.; Yuan, Ch.; Ni, J.; Li, X.-l.; Yang, M.; Jiang, H. A comprehensive analysis of the properties of light crude oil in oxidation experimental studies. *J. Therm. Anal. Calorim.* 2014, 117, 979-984, 10.1007/s10973-014-3772-9
- [21] Pu, W.; Liu, Zh.; Li, Y.; Wei, B.; Jia, H.; Kong, L. A novel insight of laboratory investigation and simulation for high pressure air injection in light oil reservoir. *J. Nat. Gas Sci. Eng.* 2017, 38, 333-344, 10.1016/j.jngse.2017.01.004
- [22] Chen, Zh.; Wang, L.; Duan, Q.; Zhang, L.; Ren, Sh. High-Pressure Air Injection for Improved Oil Recovery: Low-Temperature Oxidation Models and Thermal Effect. *Energy Fuels* 2013, 27, 780-786, 10.1021/ef301877a
- [23] Juan, E. S.; Sanchez, A.; Del Monte, A.; Moore, G.; Mehta, S. A.; Ursenbach, M. G. Laboratory Screening for Air Injection-Based IOR in Two Water flooded Light Oil Reservoirs. *JCPT* 2005, 44 (1), 31-41, 10.2118/05-01-02
- [24] Sarma, H. K.; Yazawa, N.; Moore, R. G. Screening of Three Light-Oil for Application of Air Injection Process by Accelerate-Rate Calorimetric and TG/PDSC. *JCPT* 2002, 41 (3), 50-61, 10.2118/02-03-04
- [25] dos Santos, R.; Vargas, J.; Trevisan, O. Thermal Analysis and Combustion Kinetic of Heavy Oils and Their Asphaltene and Maltene Fractions Using Accelerating Rate Calorimetry. *Energy Fuels* 2014, 28, 7140-7148, 10.1021/ef5007353

- [26] Price, D.; Razzaghi, S.; Kharrat, R.; Rashtchian, D.; Vossoughi, Sh. Studies of Iranian Heavy Oils Pertinent to Reservoir Conditions for Their Auto-ignition to Initiate Fire Flooding. *Chem. Eng. Commun.* 2008, 196 (5), 643-657, 10.1080/00986440802483921
- [27] Vargas, J.; dos Santos, R.; Trevisan, O. Evaluation of crude oil oxidation by accelerating rate calorimetry. *J. Therm. Anal. Calorim.* 2013, 113, 897-908, 10.1007/s10973-012-2816-2
- [28] Jia, H.; Zhao, J.; Pu, W.; Zhao, J.; Kuang, X. Thermal Study on Light Crude Oil for Application of High-Pressure Air Injection (HPAI) Process by TG/DTG and DTA Tests. *Energy Fuels* 2012, 26, 1575-1584, 10.1021/ef201770t
- [29] Kok, M. V. High-Pressure DSC Applications on Crude Oil Combustion. *Energy Fuels* 1997, 11, 1137-1142, 10.1021/ef970015r
- [30] Li, J.; Mehta, S. A.; Moore, R. G.; Zalewski, E.; Ursenbach, M. G.; van Fraassen, K. Investigation of the Oxidation Behaviour of Hydrocarbon and Crude Oil Samples Utilizing DSC Thermal Techniques. *Can. Int. Pet. Conf.* 2004, 10.2118/2004-129
- [31] Varfolomeev, M. A.; Rakipov, I. T.; Isakov, D. R.; Nurgaliev, D. K.; Kok, M. V. Characterization and Kinetics of Siberian and Tatarstan Regions Crude Oils Using Differential Scanning Calorimetry. *Pet. Sci. Technol.* 2015, 33 (8), 865-871, 10.1080/10916466.2015.1021011
- [32] Varfolomeev, M. A.; Nagrimanov, R. N.; Galukhin, A. V.; Vakhin, A. V.; Solomonov, B. N.; Nurgaliev, D. K.; Kok, M. V. Contribution of thermal analysis and kinetics of Siberian and Tatarstan regions crude oils for in situ combustion process. *J. Therm. Anal. Calorim.* 2015, 122 (12), 1375-1384, 10.1007/s10973-015-4892-6
- [33] Varfolomeev, M. A.; Nurgaliev, D. K.; Kok, M. V. Calorimetric study approach for crude oil, combustion in the presence of clay as catalyst. *Pet. Sci. Technol.* 2016, 34, 1624-1630, 10.1080/10916466.2016.1217235
- [34] Varfolomeev, M. A.; Nurgaliev, D. K.; Kok, M. V. Thermal, kinetics, and oxidation mechanism studies of light crudeoils in limestone and sandstone matrix using TG-DTG-DTA: Effect of heating rate and mesh size. *Pet. Sci. Technol.* 2016, 34, 1647-1653, 10.1080/10916466.2016.1217234
- [35] Versan Kok, M. V.; Varfolomeev, M. A.; Nurgaliev, D. K. Thermal characterization of crude oils in the presence of limestone matrix by TGA-DTG-FTIR. *J. Pet. Sci. Eng.* 2017, 154, 495-501, 10.1016/j.petrol.2017.02.001
- [36] Varfolomeev, M. A.; Nagrimanov, R. N.; Samatov, A. A.; Rakipov, I. T.; Nikanshin, A. D.; Vakhin, A. V.; Nurgaliev, D. K.; Kok, M. V. Chemical evaluation and kinetics of Siberian, north regions of Russia and Republic of Tatarstan crude oils. *Energy Sources, Part A* 2016, 38 (8), 1031-1038, 10.1080/15567036.2015.1107866
- [37] Kok, M. V.; Varfolomeev, M. A.; Nurgaliev, D. K. Crude oil characterization using TGA-DTA, TGA-FTIR and TGA-MS techniques. *J. Pet. Sci. Eng.* 2017, 154, 537-542, 10.1016/j.petrol.2016.12.018
- [38] Tadema, H. J.; Weijdem, J. Spontaneous ignition of oil sands. *Oil Gas J.* 1970, 65, 50
- [39] Vyazovkin, S.; Chrissafis, K.; Lorenzo, M.; Koga, N.; Pijolat, M.; Roduit, B.; Sbirrazzuoli, N. ICTAC Kinetics Committee recommendations for collecting experimental thermal analysis data for kinetic computations. *Thermochim. Acta* 2014, 590, 1-23, 10.1016/j.tca.2014.05.036
- [40] Kristensen, M. R.; Gerritsen, M.; Thomsen, P. G.; Michelsen, M. L.; Stenby, E. H. Efficient integration of stiff kinetics with phase change detection for reactive reservoir processes. *Transp. Porous Media* 2007, 69 (3), 383-4009, 10.1007/s11242-006-9079-y
- [41] Kristensen, M. R.; Gerritsen, M. G.; Thomsen, P. G.; Michelsen, M. L.; Stenby, E. H. An Equation-of-State Compositional In-Situ Combustion Model: A Study of Phase Behavior Sensitivity. *Transp. Porous Media* 2009, 76, 219, 10.1007/s11242-008-9244-6
- [42] Lapene, A.; Debenest, G.; Quintard, M.; Castanier, L. M.; Gerritsen, M.; Kovscek, A. Kinetics Oxidation of Heavy Oil. 2. Compositional and Full Equation of State Model. *Energy Fuels* 2011, 25 (11), 4886-4895, 10.1021/ef200365y
- [43] Lapene, A.; Debenest, G.; Quintard, M.; Castanier, L. M.; Gerritsen, M.; Kovscek, A. Kinetics Oxidation of Heavy Oil. 2. Application of Genetic Algorithm for Evaluation of Kinetic Parameters. *Energy Fuels* 2015, 29 (2), 1119-1129, 10.1021/ef501392k
- [44] Emanuel, N. M. Present State of the Theory of Chain Reactions in the Liquid Phase Oxidation of Hydrocarbons. 7th World Petroleum Congress, 2-9 April, Mexico City, Mexico, 1967.
- [45] Freitag, N. P. Chemical Reaction Mechanisms That Govern Oxidation Rates During In-Situ Combustion and High-Pressure Air Injection; SPE 170162, 2014.
- [46] Ushakova, A.; Zatsepin, V.; Varfolomeev, M.; Emelyanov, D. Study of the Radical Chain Mechanism of Hydrocarbon Oxidation for In Situ Combustion Process. *J. Combust.* 2017, 10.1155/2017/2526596
- [47] Semenov, N. N. On some problems of chemical kinetics and reactivity; Selected Works; Nauka, 2005; Vol 3 (in Russian).
- [48] Semenov, N. N. Some Problems Relating to Chain Reactions and to the Theory of Combustion; Nobel lecture, Dec. 11, 1956.
- [49] Klinchev, V. A.; Zatsepin, V. V.; Ushakova, A. S.; Telyshev, S. V. Laboratory studies and implementation of in-situ combustion initiation technology for air injection process in the oil reservoirs; SPE-171244, 2014.

- [50] Ushakova, A. S.; Zatsepin, V. V. In-situ combustion ignition for low permeability reservoir; Oil industry, 2015; No 6, p 62-66 (in Russian).
- [51] Vyazovkin, S.; Burnham, A. K.; Criado, J. M.; Pérez-Maqueda, L. A.; Popescu, C.; Sbirrazzuoli, N. ICTAC Kinetics Committee recommendations for performing kinetic computations on thermal analysis data. *Thermochim. Acta* 2011, 520, 1-19, 10.1016/j.tca.2011.03.034
- [52] Bhattacharya, S.; Mallory, D. G.; Moore, R. G.; Ursenbach, M. G.; Mehta, S. A. Vapor Phase Combustion in Accelerate Rate Calorimetry for Air-Injection EOR Processes; SPE-180451, 2016.
- [53] Li, Y.; Pu, W.; Zhao, J.-Y.; Z hao, Q.; Sun, L.; Jin, F.; Zhao, J-Zh.; Zhou, W. Variation of reservoir fluid property during the high pressure air injection process. *Int. J. Green Energy* 2016, 13 (2), 173-180, 10.1080/15435075.2014.939750